



## **Highlights**







Bluetooth Playback



Studio Grade Effect Engine

## **Bluetooth Connectivity**


(For Smartphone Playback)

## **Features:**

- 4 Mono Inputs Channels with silver plated XLRs and balanced Line Inputs
- 2 Stereo Input Channel with silver plated jack inputs
- Ultra-low noise Studio grade Mic Preamps with + 48 V Phantom Power
- Ultra-musical 3 band EQ on all channels
- Peak LEDs all Mono and Stereo Channels
- Single Studio Grade Effect Engine
- 1 Aux Send & FX Send per channel for external processing and outputs
- Highly accurate 5 segment Bargraph Meters
- 1 Stereo Master output, 1 RCA Output
- Studio Grade Playback+Recording USB Thumbdrive
- Bluetooth Connectivity for Smartphone playback







## **Specifications**

Mono Inputs	
Mic Inputs	4 Electronically balanced discrete input configuration
Bandwidth	10 Hz to 60 kHz +/- 3 dB
Distortion (THD & N)	0.01 % at +4 dBu, 1 kHz, bandwidth 8- kHz
Mic E.I.N (22 Hz – 22 kHz)	- 122 dBqp, input shorted
	- 129.5 dBu, 150 Ohm source
TRIM range	- 45dB to + 4dB
Line Input	4 Mono & 2 Stereo Electronically balanced
Bandwidth	10 Hz to 60 kHz +/- 3 dB
Distortion (THD & N)	0.01 % at +4 dBu, 1 kHz, bandwidth 8- kHz
Line Level Range	- 45dB to + 4dB
MP3/Blutooth Level Range	- 45dB to + 4dB
Equalization	
HI	12 kHz +/- 15 dB
Mid	2.5 kHz +/- 15 dB
Low	80 Hz +/- 15 dB
Master Mix Section	7 0
Max Output	+22 dBu
Aux Send Max Out	+22 dBu
Signal-to-Noise Ratio	112 dB, all channels at Unity Gain
Power Supply	
Main Voltages	U.K / Australia / Malaysia ~ 240 V AC, 50 Hz
Weight	
Net Weight	2.5Kg
Gross Weight	4Kg

<sup>.</sup> The manufacturer reserves the right to make changes or improvements in manufacturing or design which may affect specifications.







**Top View** 

Top Side View



Side View



**Rear View**